



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/900,494	07/06/2001	Michael Freed	NEXSI-01112US0	4136
28863	7590	10/03/2005	EXAMINER	
SHUMAKER & SIEFFERT, P. A. 8425 SEASONS PARKWAY SUITE 105 ST. PAUL, MN 55125			MOORTHY, ARAVIND K	
		ART UNIT	PAPER NUMBER	
		2131		

DATE MAILED: 10/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No.	Applicant(s)
	09/900,494	FREED ET AL.
	Examiner	Art Unit
	Aravind K. Moorthy	2131

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) Responsive to communication(s) filed on 26 July 2005.
- 2a) This action is FINAL.                    2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) Claim(s) 1-28 is/are pending in the application.
  - 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) Claim(s) \_\_\_\_\_ is/are allowed.
- 6) Claim(s) 1-28 is/are rejected.
- 7) Claim(s) \_\_\_\_\_ is/are objected to.
- 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 06 July 2001 is/are: a) accepted or b) objected to by the Examiner.
 

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) All    b) Some \* c) None of:
    1. Certified copies of the priority documents have been received.
    2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)             | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____.   |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____.  | 6) <input type="checkbox"/> Other: _____.                                   |

## DETAILED ACTION

1. This is in response to the amendment filed on 26 July 2005.
2. Claims 1-28 are pending in the application.
3. Claims 1-28 have been rejected.

### *Response to Arguments*

4. Applicant's arguments with respect to claims 1-21 have been considered but are moot in view of the new ground(s) of rejection.

### *Claim Rejections - 35 USC § 102*

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. **Claims 1-7 and 22 are rejected under 35 U.S.C. 102(e) as being anticipated by Hankinson et al U.S. Patent No. 6,799,202 B1.**

As to claim 1, Hankinson et al discloses a load balancing acceleration device, comprising:

a processor, memory and communications interface [column 5, lines 26-48];  
a TCP communications manager capable of interacting with a plurality of client devices and server devices simultaneously via the communications interface [column 20, lines 11-29];

a secure communications manager to negotiate a secure communication session with one of the client devices [column 8 line 49 to column 9 line 14];  
an encryption and decryption engine instructing the processor to decrypt data received via the secure communications session and direct the decrypted data it to one of said server devices via a second communication session [column 8 line 49 to column 9 line 14]; and  
a load balancing engine associating each of said client devices with a respective one of said servers devices based on calculated processing loads of each said server devices [column 17 line 41 to column 18 line 24].

As to claim 2, Hankinson et al discloses that the TCP communications manager provides an IP address of an enterprise to said secure communications manager, and each of said plurality of server devices is associated with the enterprise [column 7, lines 14-40].

As to claim 3, Hankinson et al discloses that the secure communications manager negotiates a secure communication session with each of said plurality of client devices over an open network [column 8 line 49 to column 9 line 14].

As to claim 4, Hankinson et al discloses that the TCP communications manager negotiates a separate, open communications session with one of the plurality of server devices associated with the enterprise for each secure communications session negotiated with the client devices based on the associations of said client devices to said server devices said load balancing engines [column 17 line 41 to column 18 line 24].

As to claim 5, Hankinson et al discloses that the encryption and decryption engine decrypts the data on a packet level by decrypting packet data received on the communications

interface via the secure communications session to extract a secure record [column 13, lines 17-30]. Hankinson et al discloses decrypting application data from the secure record in the packet data [column 13, lines 17-30]. Hankinson et al discloses outputting the decrypted application data from the secure record to the one of said server devices via the second communication session without processing the application data with an application layer of a TCP/IP stack [column 13, lines 17-30].

As to claim 6, Hankinson et al discloses that the load-balancing engine selects the second communication session [column 17 line 41 to column 18 line 24].

As to claim 7, Hankinson et al discloses that the TCP communications manager responds to TCP communications negotiations directly for an enterprise [column 12 line 65 to column 13 line 30].

As to claim 22, Hankinson et al discloses that the device comprises a network router [column 12 line 65 to column 13 line 30].

**6. Claims 12-15, 17-21, 23 and 24 are rejected under 35 U.S.C. 102(e) as being anticipated by Abjanic U.S. Patent No. 6,732,175 B1.**

As to claim 12, Abjanic discloses a method for performing acceleration of data communications between a plurality of customer devices attempting to communicate with an enterprise having a plurality of servers, comprising:

providing an intermediate acceleration device enabled for secure communication with the customer devices, wherein the acceleration device has an IP address associated with the enterprise [column 10, lines 1-32];

receiving with the acceleration device communications directed to the enterprise in a secure protocol from one of the customer devices [column 10, lines 1-32];

decrypting data packets of the secure protocol with the acceleration device to provide decrypted packet data [column 10, lines 1-32];

selecting with the acceleration device at least one of the plurality of servers in the enterprise based on a load calculation including processing sessions of other servers in the enterprise and associating the selected server with a communications session from the one of the clients [column 10, lines 1-32]; and

forwarding the decrypted packet data from the acceleration device to the selected server of the enterprise [column 10, lines 1-32].

As to claim 13, Abjanic discloses the steps of receiving application data from the selected server of the enterprise, encrypting the application data received from the selected server, and forwarding encrypted application data to the customer device [column 10, lines 1-32].

As to claim 14, Abjanic discloses that the step of receiving communications directed to the enterprise includes receiving with the device communications having a destination IP address of the enterprise [column 10, lines 1-32].

As to claim 15, Abjanic discloses the step of negotiating the secure protocol session with the customer device by responding as the enterprise to the customer devices [column 10, lines 33-67].

As to claim 17, Abjanic discloses that the step of forwarding comprises:

establishing an open communication session from the acceleration device to the selected server [column 5, lines 14-40], and  
mapping the decrypted packet data to the open communication session established with the selected server [column 5, lines 14-40].

As to claim 18, Abjanic discloses that the open communication session is established via a secure network [column 5, lines 14-40].

As to claim 19, Abjanic discloses that the step of receiving comprises:

receiving encrypted data having a length greater than a TCP segment carrying said data [column 10, lines 1-32]; and  
wherein said step of decrypting comprises:  
buffering the encrypted data in a memory buffer in the acceleration device, the buffer having a length equivalent to the block cipher size necessary to perform the cipher [column 10, lines 1-32]; and  
decrypting the buffered segment of the received encrypted data to provide decrypted application data [column 10, lines 1-32].

As to claim 20, Abjanic discloses the step of authenticating the data on receipt of a final TCP segment on a packet level without processing the application data with an application layer of a TCP/IP stack [column 6, lines 1-27].

As to claim 21, Abjanic discloses the step of generating an alert if said step of authenticating results in a failure [column 6 line 63 to column 7 line 12].

As to claim 23, Abjanic discloses decrypting data packets comprises decrypting the data packets at a packet level of a TCP/IP stack [column 6, lines 1-27].

As to claim 24, Abjanic discloses that decrypting data packets comprises:

decrypting the data packets to extract a secure record [column 10, lines 1-32],

decrypting application data from the secure record [column 10, lines 1-32], and

authenticating the application data without processing the application data with an application layer of a TCP/IP stack [column 10, lines 1-32].

**7. Claims 25-28 are rejected under 35 U.S.C. 102(e) as being anticipated by Baskey et al U.S. Patent No. 6,732,269 B1.**

As to claim 25, Baskey et al discloses a system comprising:

a client device [column 5, lines 17-57];

a plurality of server devices [column 5, lines 17-57]; and

an intermediate device coupled between the client devices and the server devices [column 5, lines 17-57],

wherein the intermediate device intercepts a request from the client device for a secure communication session [column 5 line 58 to column 6 line 16], and

wherein, in response to the request, the intermediate device establishes a secure communication session with the client device, selects one of the server devices based on resource loading experienced by the server devices, and

establishes a non-secure communication session with the selected server device [column 5 line 58 to column 6 line 16].

As to claim 26, Baskey et al discloses that the intermediate device receives encrypted data from the client device via the secure communication session, decrypts the data and forwards the decrypted data to the selected server device via the non-secure communication session [column 8 line 51 to column 9 line 19].

As to claim 27, Baskey et al discloses that the intermediate device receives unencrypted data from the selected server device via the non-secure communication session, encrypts the data and forwards the encrypted data to the client device via the secure communication session [column 8 line 51 to column 9 line 19].

As to claim 28, Baskey et al discloses that the intermediate device comprises a network router [column 5, lines 17-57].

#### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**8. Claims 8-11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hankinson et al U.S. Patent No. 6,799,202 B1 as applied to claim 1 above, and further in view of Gelman et al U.S. Patent No. 6,415,329 B1.**

As to claims 8 and 11, Hankinson et al does not teach that the secure communications manager changes a destination IP address for each packet to a server IP address for each session.

Gelman et al teaches a secure communications manager that changes a destination IP address for each packet to a server IP address for each session [column 10, lines 9-21].

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hankinson et al so that the proxy server would have changed the destination IP address for each packet to one of the server IP addresses for each session.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Hankinson et al by the teaching of Gelman et al because the detrimental effects of latency and errors on TCP are avoided and link utilization is greatly increased. TCP/IP headers are replaced with a much shorter WLP header, leaving more bandwidth for data. In addition, TCP/IP data may be compressed so that fewer bytes need to be sent over the wireless segment, thus improving data transfer times. Encryption may also be used to protect data from eavesdropping. Finally, the system may be implemented without making any changes to the TCP/IP code on the gateway. No changes of any kind are required to the end users [column 5, lines 54-67].

As to claim 9, Hankinson teaches that the TCP communications manager maintains TCP communication sessions with the server devices, and wherein the secure communications manager engine negotiates a secure communication session for each TCP communications session [column 8 line 49 to column 9 line 14].

As to claim 10, Hankinson teaches that the secure communications manager responds to all secure communications with each client device [column 8 line 49 to column 9 line 14].

**9. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Abjanic U.S. Patent No. 6,732,175 B1 as applied to claim 12 above, and further in view of Gelman et al U.S. Patent No. 6,415,329 B1.**

As to claim 16, Lincke et al does not teach that the step of forwarding comprises modifying the destination IP address of data packets from the enterprise IP to an IP for the selected server.

Gelman et al teaches a secure communications manager that changes a destination IP address for each packet to a selected server IP address for each session [column 10, lines 9-21].

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Lincke et al so that the proxy server would have changed the destination IP address for each packet to one of the server IP addresses for each session.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Lincke et al by the teaching of Gelman et al because the detrimental effects of latency and errors on TCP are avoided and link utilization is greatly increased. TCP/IP headers are replaced with a much shorter WLP header, leaving more bandwidth for data. In addition, TCP/IP data may be compressed so that fewer bytes need to be sent over the wireless segment, thus improving data transfer times. Encryption may also be used to protect data from eavesdropping. Finally, the system may be implemented without making any changes to the TCP/IP code on the gateway. No changes of any kind are required to the end users [column 5, lines 54-67].

***Conclusion***

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aravind K. Moorthy whose telephone number is 571-272-3793. The examiner can normally be reached on Monday-Friday, 8:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz R. Sheikh can be reached on 571-272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Aravind K Moorthy *AM*  
September 27, 2005

*Cel*  
Primary Examiner  
AU 2131  
9/27/05